

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : EAU FRAICHE HAUTE PROTECTION VISAGE & CORPS SPF 30 $\,$

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cosmetic product.

1.3. Details of the supplier of the safety data sheet

Registered company name: LABORATOIRES Dr N.G. PAYOT. Address: 40/52 Boulevard du Parc.92200.Neuilly-sur-Seine.France. Telephone: +33 (0)1 55 62 54 54. Fax: +33 (0)1 55 62 54 94.

Email: contact.payot.fr

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

National Poisons Information Service of England: http://npis.org - NHS 111: dial 111 - National Poisons Information Centre of Ireland: 353 (1) 809 2166 - LUXEMBOURG: (+352) 8002 5500 - European Emergency Number Association (EENA): 112

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Non-rinse-off cosmetic mixture.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS02

Signal Word:

WARNING

Hazard statements:

H226 Flammable liquid and vapour.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

 $Precautionary\ statements\ \hbox{-}\ Storage:$

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary statements - Disposal:

P501 Dispose of contents/container at a disposal facility in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Composition .			
Identification	Classification (EC) 1272/2008	Note	%
CAS: 64-17-5	GHS07, GHS02	[1]	$2.5 \ll x \% < 10$
EC: 200-578-6	Dgr		
REACH: 01-2119457610-43	Flam. Liq. 2, H225		
	Eye Irrit. 2, H319		
ETHANOL	Eye IIII. 2, 11319		
INDEX: 607-414-00-6			2.5 <= x % < 10
CAS: 88122-99-0	Aquatic Chronic 4, H413		2.5 <= X 70 < 10
	Aquatic Cinonic 4, H413		
EC: 402-070-1			
REACH: 01-0000015187-69			
TRIS(2-ETHYLHEXYL)-4,4',4"-(1,3,5-TRIAZ	ZI		
NE-2,4,6-TRIYLTRIIMINO)TRIBENZOATE			
INDEX: 603-057-00-5	GHS07	[1]	0.1 <= x % < 1
CAS: 100-51-6	Wng	'	
EC: 202-859-9	Acute Tox. 4, H332		
REACH: 01-2119492630-38	Acute Tox. 4, H302		
KE/ICII. 01-2117472030-30	7 Cute 10x. 4, 11302		
BENZYL ALCOHOL			
CAS: 75-65-0	GHS07, GHS02	[1]	0.1 <= x % < 1
EC: 200-889-7	Dgr		
REACH: 01-2119444321-51	Flam. Liq. 2, H225		
TEE TOTI. 01 211) 11 1321 31	Eye Irrit. 2, H319		
2-METHYLPROPAN-2-OL	Acute Tox. 4, H332		
2-WETITE KOTAN-2-OL	STOT SE 3, H335		
CAS: 140-11-4	S101 SE 3, H333	[1]	0 <= x % < 0.1
EC: 205-399-7	W/	[1]	$0 \le X \% \le 0.1$
	Wng		
REACH: 01-2119638272-42	Aquatic Chronic 3, H412		
BENZYL ACETATE			
CAS: 56-81-5		[1]	0 <= x % < 0.1
EC: 200-289-5			
GLYCEROL			
CAS: 1310-73-2	GHS05	[1]	0 <= x % < 0.1
EC: 215-185-5	Dgr	[-1	0 1 11 /0 1011
REACH: 01-2119457892-27	Met. Corr. 1, H290		
KL1 C11. 01-2117431072-21	Skin Corr. 1A, H314		
SODIUM HYDROXIDE	JANII COII. 1A, 11314		
CAS: 532-32-1	GHS07	[1]	0 <= x % < 0.1
EC: 208-534-8	Wng	[1]	0 \- A /0 \ 0.1
REACH: 01-2119460683-35	Eye Irrit. 2, H319		
KEACH: 01-2119400083-33	Еуе ипп. 2, пэтэ		
SODIUM BENZOATE			
·	•		

Specific concentration limits:

Specific concentration limits:		
Identification	Specific concentration limits	ATE
CAS: 64-17-5		inhalation: ATE = 20000 mg/l 4h
EC: 200-578-6		(dust/mist)
REACH: 01-2119457610-43		oral: ATE = 7060 mg/kg BW
ETHANOL		
CAS: 75-65-0		inhalation: ATE = 11 mg/l 4h
EC: 200-889-7		(vapours)
REACH: 01-2119444321-51		oral: ATE = 3500 mg/kg BW
2-METHYLPROPAN-2-OL		
CAS: 140-11-4		oral: ATE = 2490 mg/kg BW
EC: 205-399-7		
REACH: 01-2119638272-42		
BENZYL ACETATE		

CAS: 1310-73-2	Skin Corr. 1A: H314 C>= 5%	
EC: 215-185-5	Skin Corr. 1B: H314 2% <= C < 5%	
REACH: 01-2119457892-27	Skin Irrit. 2: H315 0.5% <= C < 2%	
	Eye Dam. 1: H318 C>= 2%	
SODIUM HYDROXIDE	Eye Irrit. 2: H319 0.5% <= C < 2%	

Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

Prevent the effluent of fire-fighting measures from entering drains or waterways.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always ground when decanting. Wear antistatic shoes and clothing and make floors of non-conductive

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
64-17-5		1000 ppm		A3	
75-65-0	100 ppm			A4	
140-11-4	10 ppm			A4	
56-81-5	10 mg/m3				
1310-73-2			2 mg/m3		

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

CAS	VME:	VME:	Excess	Notes
64-17-5		200 ppm		4(II)
		380 mg/m3		
100-51-6		5 ppm		2 (I)
		22 mg/m3		
75-65-0		20 ppm		4(II)
		62 mg/m3		
56-81-5		200 E mg/m3		2 (I)
532-32-1		10 E mg/m3		2 (II)

⁻ Australia (NOHSC: 3008, 1995):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:]
54-17-5	1000 ppm	SILL.	Cennig .	Н	Cincila .	-
54-17-5	1880 mg/m3			11		
75-65-0	100 ppm	150 ppm		Н		1
, , , ,	303 mg/m3	455 mg/m3				
56-81-5	10 mg/m3	1		Н		
1310-73-2	2 Peak			Н		1
	limitation					
	mg/m3					
Austria (BGBl. I	II Nr. 156/2021):					-
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:]
64-17-5	1000 ppm	2000 ppm				
	1900 mg/m3	3800 mg/m3				
75-65-0	20 ppm	80 ppm				
	62 mg/m3	248 mg/m3				
1310-73-2	2E mg/m3	4E mg/m3				
Belgium (Royal	decree of 11/05/2	021):	•			-
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:]
54-17-5	1000 ppm					1
	1907 mg/m3					
75-65-0	100 ppm					1
	307 mg/m3					
140-11-4	10 ppm					
	62 mg/m3]
56-81-5	10 mg/m3]
1310-73-2	2 mg/m3			M		
France (INRS -	Outils 65 / 2021-1	849, 2021-1763	decree of 09/1	2/2021):		
CAS	VME-ppm:	VME-mg/m3:		VLE-mg/m3:	Notes:	TMP No:
54-17-5	1000	1900	5000	9500	-	84
75-65-0	100	300	-	-	-	84
56-81-5	-	10	-	-	-	-
1310-73-2	-	2	-	-	-	-
Switzerland (Sur	va 2021) :					
CAS	VME	VLE	Valeur plafond	Notations]	
64-17-5	500 ppm	1000 ppm	•			
	960 mg/m3	1920 mg/m3				
100-51-6	5 ppm					
	22 mg/m3					
75-65-0	20 ppm	80 ppm				
	60 mg/m3	240 mg/m3				
56-81-5	50 ppm	100 ppm				
1310-73-2	2 ppm	2 ppm				
UK / WEL (Wor	rkplace exposure	imits, EH40/20	05, Fourth Editi	on 2020):		
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
64-17-5	1000 ppm					
	1920 mg/m3]
75-65-0	100 ppm	150 ppm				
	308 mg/m3	462 mg/m3				
56-81-5	10 mg/m3	1				
1310-73-2		2 mg/m3]
USA / OSHA PI	EL (Occupational	Safety and Heal	lth Administration	on, Permissible	Exposure Limit	ts):
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:]
54-17-5	1000 ppm					
	1900 mg/m3]
75-65-0	100 ppm					
	300 mg/m3					
56-81-5	15 mg/m3					_
1310-73-2	2 mg/m3					
USA / AIHA WI	EEL (American Ir	ndustrial Hygien	e Association, V	Workplace Envi	ronmental Expo	sure Limit, 201
						1 '
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

Colour: Orange.

Odour

Odour threshold: Not stated. Odour: Characteristic.

Freezing point

Freezing point / Freezing range: Not stated.

Boiling point or initial boiling point and boiling range

Not relevant. Boiling point/boiling range:

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) Not stated.

Explosive properties, upper explosivity limit (%) Not stated.

Flash point

Flash Point: 53.60 °C.

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range: Not relevant.

pН

Not stated. pH (aqueous solution): Not stated. pH:

> Neutral. 6.00 - 6.50

pH aqueous phase: pH fatty phase: Not revelant.

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Dilutable. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Not stated. Partition coefficient: n-octanol/water:

Vapour pressure

Vapour pressure (50°C): Below 110 kPa (1.10 bar).

Density and/or relative density

Density: <1 Aqueous phase density: <1 0.98

Relative vapour density

Vapour density: Not stated.

Particle characteristics

The mixture does not contain nanoforms.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces
- frost

10.5. Incompatible materials

Keep away from:

- acids
- oxidising agents

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

Acute toxicity:

BENZYL ACETATE (CAS: 140-11-4)

Oral route : LD50 = 2490 mg/kg bodyweight/day

2-METHYLPROPAN-2-OL (CAS: 75-65-0)

Oral route : LD50 = 3500 mg/kg bodyweight/day

Species: Rat

Inhalation route (Vapours): LC50 = 11 mg/l

Duration of exposure: 4 h

ETHANOL (CAS: 64-17-5)

Oral route: LD50 = 7060 mg/kg bodyweight/day

Species: Rat

 $Inhalation\ route\ (Dusts/mist): \\ LC50 = 20000\ mg/l$

Species: Rat

Duration of exposure: 4 h

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 85-86-9: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans. CAS 140-11-4: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

ETHANOL (CAS: 64-17-5)

Fish toxicity: LC50 = 13000 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 = 12340 mg/l

Duration of exposure: 48 h

Algae toxicity: ECr50 = 275 mg/l

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

SODIUM BENZOATE (CAS: 532-32-1)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

ETHANOL (CAS: 64-17-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

WGK 1 : Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2022 [41-22] - ICAO/IATA 2023 [64]).

14.1. UN number or ID number

1266

14.2. UN proper shipping name

UN1266=PERFUMERY PRODUCTS (ethanol)

14.3. Transport hazard class(es)

- Classification:



3

14.4. Packing group

Ш

14.5. Environmental hazards

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	III	3	30	5 L	163	E1	3	D/E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation	
								TT 11'		

IMDG	Class	2°Labei	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	3	-	III	5 L	F-E. S-D	163 223 904	E1	Category A	-
						955			
			•	•	•		•		

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	3	-	III	355	60 L	366	220 L	A3 A72	E1
	3	_	III	Y344	10 L	_	_	A3 A72	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Explosives precursors:

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions:

No data available.

Labelling for cosmetic products (EC Regulation No. 1223/2009):

- allergenic fragrances:

Benzyl Alcohol

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

WGK 1: Slightly hazardous for water.

Swiss ordinance on the incentive tax on volatile organic compounds:

140-11-4 acétate de benzyle

64-17-5 éthanol, seulement s'il s'agit d'alcools impropres à la consommation (art. 31 de la loi fédérale sur l'alcool)

100-51-6 Alcool benzylique

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period. LC50: The concentration of a test substance resulting in 50% lethality in a given period. EC50: The effective concentration of substance that causes 50% of the maximum response. ECr50: The effective concentration of substance that causes 50% reduction in growth rate. REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

STEL : Short-term exposure limit
TWA : Time Weighted Averages
TMP : French Occupational Illness table
TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$

GHS02 : Flame

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.